In re: Anagnostou et al. Serial No.: 09/525,808 Filed: March 15, 2000

Page 2 of 9

Listing of Claims

The following list of claims will replace all prior versions and listings of claims in the application.

1-15. (Canceled)

 (Currently Amended) A method of reducing endothelial injury in a subject, comprising administering an effective endothelial-protecting amount of erythropoietin to said subject in need thereof.

wherein said endothelial injury is caused by a chemotherapeutic agent and said erythropoietin is administered prior to initial administration of said chemotherapeutic agent.

17-21. (Canceled)

22. (Previously Presented) A method according to claim 16, wherein said erythropoietin is administered intravenously.

23-30. (Canceled)

 (Currently Amended) A method of treating endothelial injury in a subject, comprising intravenously administering an effective endothelial-protecting amount of erythropoietin to said subject in need of such treatment,

wherein said effective endothelial-protecting amount of erythropoietin reduces or prevents the suppression of endothelial growth associated with endothelial injury caused by a chemotherapeutic agent and said erythropoietin is administered prior to initial administration of said-chemotherapeutic agent endothelial-protecting amount of erythropoietin is a dosage in a range of about 750 Units per kilogram to about 2000 Units per kilogram.

 (Currently Amended) A method of treating endothelial injury in a subject, comprising intravenously administering an effective endothelial-protecting amount of erythropoietin to said subject in need of such treatment, In re: Anagnostou et al. Serial No.: 09/525,808 Filed: March 15, 2000

Page 3 of 9

wherein said effective endothelial-protecting amount of erythropoietin increases the numbers of viable endothelial cells following endothelial injury caused by a chemotherapeutic agent and said erythropoietin is administered prior to initial administration of said chemotherapeutic agent endothelial-protecting amount of erythropoietin is a dosage in a range of about 750 Units per kilogram to about 2000 Units per kilogram.

33. (Previously Presented) A method according to claim 16, wherein said erythropoietin is administered in an amount of from about 100 Units per kilogram to about 200 Units per kilogram.

34-41. (Canceled)

 (Previously Presented) A method of claim 16, wherein said chemotherapeutic agent is cisplatin.

43. (Canceled)

- 44. (New) A method according to claim 16, wherein said erythropoietin is administered in an amount of from about 750 Units per kilogram to about 2000 Units per kilogram.
- 45. (New) A method according to claim 1, wherein said chemotherapeutic agent is cisplatin, carboplatin or mitomycin.
- 46. (New) A method according to claim 1, wherein said chemotherapeutic agent is administered in a manner selected from the group consisting of intravenous, intramuscular, intraperitoneal, subcutaneous, intratumor, and intrapleural injection.
- 47. (New) A method according to claim 16, wherein said chemotherapeutic agent is cisplatin, carboplatin or mitomycin.